

Shore
LENS COMPANY.

160 LeGrand Avenue,
Northvale, NJ 07647

SHORE LENS

PRODUCT PORTFOLIO

Products, Performance, and Pricing
that keeps you competitive.

ALL ABOUT SHORE

Learn about our valuable
product portfolio.

CONTENTS

PRODUCT HIGHLIGHTS

ACTIVATIONS	2
FOG FREE	3
BLUE SHIELD	4
CORAL ANTI-REFLECTIVE	5
SHOREVIEW PROGRESSIVES	6
SHORE SUN COLLECTION	7

AVAILABILITY

SHOREVIEW PROGRESSIVES	8-9
FINISHED CR-39	10
FINISHED POLY	11
FINISHED MID TO HIGH INDEX	12
FINISHED TRIVEX & MULTIFOCAL	13
SEMI-FINISHED SINGLE VISION	14-15
SEMI-FINISHED MULTIFOCAL	16
SHORE SUN COLLECTION	17-19

INTRO

Since our founding, Shore has brought to the market lenses that perform, with pricing that keeps you competitive. Shore Lens Company is your one source for unlimited value.

Our mission is to be the premier optical lens distributor of choice for integrated retailers and wholesale customers who demand superior customer service, affordable pricing, and a wide selection of optical lens designs and materials.

Our products include both semi-finished and finished lenses, in single vision, multi-focals and progressives; all of which are available in a variety of materials from uncoated CR-39 to the newest 1.74 high-index. Shore Lens Company is the home of the Shoreview® Progressive Lens and Shore Activations®.

SHORE ACTIVATIONS™

A PHOTOCROMIC LENS BY SHORE LENS COMPANY



SHORE ACTIVATIONS™

A PHOTOCROMIC LENS BY **SHORE LENS COMPANY**

SHOREVIEW™ ACTIVATIONS™
ARE AVAILABLE EXCLUSIVELY
WITH YOUR TRUSTED
SHOREVIEW™ DESIGNS.

Fast Activation

Activations™ are fully clear indoors, turn dark outdoors and return to clear fast. The ideal lenses for all-day comfort and protection.

Color Stability

Activations™ maintain color stability when activating. Available in warm brown or elegant gray tints. Activations™ fit any frame perfectly.

Convenience

Activations™ are convenient for wearers with an active lifestyle or who have a sensitivity to light.

Protection

Activations™ provide 100% UVA and UVB protection for wearers eyes.

SPECIFIC AVAILABILITY IS DETAILED IN THE PROGRESSIVE, FINISHED,
AND SEMI-FINISHED SECTIONS OF THIS BOOKLET

SHORE FOG FREE

A FOG FIGHTING POLYCARBONATE LENS



SHORE FOG FREE

SHORE FOG FREE
PROVIDES THE
MOST DURABLE
PROTECTION
AGAINST FOGGY
VISION

DURABILITY

- Passes EN 166:2001
- Passes ASTM 659 standard
- Scratch Resistant Coating


CONVENIENCE

- Neither refurbishment nor maintenance is required
- Eliminates the need for temporary anti-fog sprays, wipes and solutions

AVAILABLE IN POLYCARBONATE ON PAGE 12

BLUE SHIELD ANTI-REFLECTIVE

A BLUE LIGHT FIGHTING POLYCARBONATE LENS



PROTECTION FROM
HARMFUL BLUE
LIGHT

PROTECTS AGAINST HARMFUL BLUE LIGHT

Our Blue Shield AR blocks 38% of light in the blue-light wavelength range. This reflects the harmful blue light away from the eyes, while ensuring that the portion of blue light needed for optimal contrast and other health benefits is allowed to pass through the lens.

PROTECTS AGAINST UV RADIATION TRANSMISSION

UV Protection is an inherent feature of Polycarbonate lenses, absorbing all wavelengths to 380nm, the ANSI accepted UV limit. Our Blue Shield lens takes it to the next step by cutting UV up to 400nm, providing more complete protection for eyes.

PREMIUM HYDROPHOBIC ANTI-REFLECTIVE

- Water Repellent
- Oil Resistant
- Dust & Smudge Resistant
- Anti-Glare

AVAILABLE IN POLYCARBONATE AND 1.67 ON PAGES 11 & 12

SHORE CORAL

AN ANTI-REFLECTIVE COATING



SHORE CORAL™

AN ANTI-REFLECTIVE COATING BY SHORE LENS COMPANY

THE NEWEST
ADDITION TO OUR
CURATED LINE OF
VALUE PRODUCTS

ATTRIBUTES

- Super hydrophobic
- Scratch Resistant
- Anti-Reflective

NOW AVAILABLE IN CR39, POLY, AND HIGH INDEX ON PAGES 10-12

SHOREVIEW FAMILY OF PROGRESSIVES

THE VALUE ALTERNATIVE



SHOREVIEW™

AN ORIGINAL
SHORE LENS
PROGRESSIVE

Shoreview
18mm

- Progressive
- Plastic
- Trivex
- Poly
- 1.60

Shoreview Mini
15mm

- Progressive Short
- Plastic
- Trivex
- Poly
- 1.60
- 1.67

SHORE SUN COLLECTION

A COLLECTION OF SUNWEAR LENSES



SHORE  **SUN**™

POLARIZED LENSES
AND TINTS
FOR EVERY
LIFESTYLE

GRAY

Excellent for general purpose use, anti-fatigue and helps reduce glare, especially off water.

BROWN

Improves contrast and enhances depth perception.

GREEN

Good for outdoor activities, transmits all colors evenly, and provides soothing comfort.

AVAILABLE ON PAGE 18-20

SHOREVIEW PROGRESSIVE

SHORE LENS COMPANY

MATERIAL	TYPE	COATING	DIA	RANGE
CR-39	ES Clear	Uncoated	80	BASES: 2.00, 4.25, 6.25, 8.25 ADDS: +0.75 to +3.50 in .25 steps
CR-39	ES Clear	Scratch Coated	80	BASES: 2.00, 4.25, 6.25, 8.25 ADDS: +0.75 to +3.50 in .25 steps
CR-39	ES Activations Gray	Scratch Coated	77	BASES: 2.00, 4.00, 5.25, 6.25, 7.75 ADDS: +0.75 to +3.50 in .25 steps
CR-39	ES Transitions Signature VII Gray	Scratch Coated	77	BASES: 2.00, 4.00, 5.25, 6.25, 7.75 ADDS: +0.75 to +3.50 in .25 steps
Poly	ES Clear	Scratch Coated	76	BASES: 2.00, 4.00, 5.50, 7.25 ADDS: +0.75 to +3.50 in .25 steps
Poly	ES Activations Gray	Scratch Coated	74	BASES: 2.00, 4.00, 5.50, 7.25 ADDS: +0.75 to +3.50 in .25 steps
Poly	ES Transitions Signature VII Gray	Scratch Coated	74	BASES: 2.00, 4.00, 5.50, 7.25 ADDS: +0.75 to +3.50 in .25 steps
Poly	Photochromic Gray S6	Scratch Coated	75	BASES: 2.50, 4.00, 5.25 ADDS: 1.00 to +3.00 in .25 steps
Trivex	Clear	Scratch Coated	70 75	BASES: 3.00, 4.00, 5.00, 7.00 ADDS: +1.00 to +3.50 in .25 steps
1.60	ES Clear	Uncoated	73 78	BASES: 2.00, 4.00, 5.50, 6.25, 7.25 ADDS: +0.75 to +3.50 in .25 steps
1.60	ES Clear	Scratch Coated	73 78	BASES: 2.00, 4.00, 5.50, 6.25, 7.25 ADDS: +0.75 to +3.50 in .25 steps

SHOREVIEW PROGRESSIVE MINI

SHORE LENS COMPANY

MATERIAL	TYPE	COATING	DIA	RANGE
CR-39	ES Clear	Uncoated	80	BASES: 1.75, 3.00, 4.50, 6.00, 7.00 ADDS: +0.75 to +3.00 in .25 steps
CR-39	ES Clear	Scratch Coated	80	BASES: 1.75, 3.00, 4.50, 6.00, 7.00 ADDS: +0.75 to +3.00 in .25 steps
CR-39	ES Activations	Scratch Coated	80	BASES: 1.75, 3.00, 4.50, 6.00, 7.00 ADDS: +0.75 to +3.00 in .25 steps
CR-39	ES Transitions Signature VII Gray	Scratch Coated	80	BASES: 1.75, 3.00, 4.50, 6.00, 7.00 ADDS: +0.75 to +3.00 in .25 steps
Poly	ES Clear	Scratch Coated	74	BASES: 1.75, 3.00, 4.50, 5.50, 6.50 ADDS: +0.75 to +3.00 in .25 steps
Poly	ES Activations Gray	Scratch Coated	74	BASES: 1.75, 3.00, 4.50, 5.50, 6.50 ADDS: +0.75 to +3.00 in .25 steps
Poly	ES Transitions Signature VII Gray	Scratch Coated	74	BASES: 1.75, 3.00, 4.50, 5.50, 6.50 ADDS: +0.75 to +3.00 in .25 steps
Poly	Photochromic S6 Gray	Scratch Coated	75	BASES: 2.00, 3.50, 5.00, 6.00 ADDS: +1.00 to +3.00 in .25 steps
Trivex	Clear	Scratch Coated	70	BASES: 3.00, 4.00, 5.00, 7.00 ADDS: +1.00 to +3.50 in .25 steps
1.60	ES Clear	Uncoated	78	BASES: 1.75, 3.00, 4.50, 5.50, 6.50 ADDS: +0.75 to +3.00 in .25 steps
1.60	ES Clear	Scratch Coated	78	BASES: 1.75, 3.00, 4.50, 5.50, 6.50 ADDS: +0.75 to +3.00 in .25 steps
1.67	ES Clear	Scratch Coated	73 78	BASES: 1.75, 3.00, 4.50, 5.50, 6.50, 8.00 ADDS: +0.75 to +3.00 in .25 steps
1.67	ES Clear	Scratch Coated	73 78	BASES: 1.75, 3.00, 4.50, 5.50, 6.50, 8.00 ADDS: +0.75 to +3.00 in .25 steps

FINISHED CR-39

SHORE LENS COMPANY

TYPE	COATING	DIA	RANGE
Clear	Uncoated	60	Plano to +6.00; cyl to -2.00
Clear	Uncoated	65	Plano; cyl to -2.00, +0.25 to +6.00; cyl to -3.00
Clear	Scratch Resistant	65	Plano; cyl to -2.00, +0.25 to +6.00; cyl to -3.00
Clear	Uncoated	70	PL to +6.00 / -4.00; cyl to -3.00, -5.25 to -6.00, cyl to -2.00 -4.25 to -5.00 / -6.25 to -7.00; cyl to -3.00, Max power of -7.00
Clear	Uncoated-Extended	70	PL to +5.00; cyl -3.25 to -4.00, +6.25 to +7.00; cyl to -2.00
Clear	Scratch Resistant	70	PL to +6.00 / -4.00; cyl to -3.00, -5.25 to -6.00, cyl to -2.00 -4.25 to -5.00 / -6.25 to -7.00; cyl to -3.00, Max Power of -7.00
Clear	Anti-Reflective	70	PL to +6.00 / -7.00; cyl to -3.00, Max Power of -7.00
Clear	Super Hydrophobic Anti-Reflective UV	65 70	PL to +6.00 / -7.00; cyl to -3.00, Max Power of -7.00
Shore Photo	Scratch Resistant	65 70	PL to +4.00 / -4.00; cyl to -2.00 - on - not to exceed combined power of -4.00
Shore Photo	Coral AR +	65 70	PL to +4.00 / -4.00; cyl to -2.00 - on - not to exceed combined power of -4.00
Activations Gray & Brown	Scratch Resistant	65 70	PL to +4.00 / -4.00; cyl to -2.00, Max Power of -4.00
Activations Gray	Coral AR	65 70	PL to +4.00 / -4.00; cyl to -2.00 - on - not to exceed combined power of -4.00
Transitions Signature VII Gray	Super Hydrophobic Anti-Reflective	65 70	PL to +4.00 / -4.00; cyl to -2.00, Max Power of -4.00
Safety Center Thickness 3.2	6 Base Scratch Resistant	74	Plano
Safety Center Thickness 2.2	8 Base Scratch Resistant	74	Plano

FINISHED POLYCARBONATE

SHORE LENS COMPANY

TYPE	COATING	DIA	RANGE
Aspheric Clear	Scratch Resistant	65 70 75	PL to +6.00 / -10.00 cyl to -4.00, Max Power of -10.00
Aspheric Clear	Anti-Reflective	65 70 75	PL to +6.00 / -10.00 cyl to -4.00, Max Power of -10.00
Aspheric Clear	Super Hydrophobic Anti-Reflective UV	65 70	PL to +4.00 / -8.00 cyl to -2.00, Max Power of -8.00
Clear	Scratch Resistant	65 70	PL to +4.00 / -8.00 cyl to -2.00, Max Power of -8.00
Clear	Anti-Reflective	65 70	PL to +4.00 / -8.00 cyl to -2.00, Max Power of -8.00
Choice Clear	Scratch Resistant	65 70	PL to +4.00 / -8.00 cyl to -2.00, Max Power of -8.00
Choice Clear	Scratch Resistant	65 70	PL to -3.75 ; cyl -2.25 to -3.00
Choice Clear	Scratch Resistant	65 70	PL to -2.50 ; cyl -3.25 to -4.00
Choice Clear	Anti-Reflective	65 70	PL to +4.00 / -8.00 cyl to -2.00, Max Power of -8.00
Choice Clear	Anti-Reflective	65 70	PL to -3.75 ; cyl -2.25 to -3.00
Choice Clear	Anti-Reflective	65 70	PL to -2.50 ; cyl -3.25 to -4.00
Blue Shield	Anti-Reflective	65 70	PL to +4.00 / -6.00; cyl to -2.00
Fog Free	Scratch Resistant	65 70	PL to +4.00 / -6.00; cyl to -2.00
Aspheric Photo Gray	Scratch Resistant	65 70	PL to +4.00 / -6.00; cyl to -2.00 - on - not to exceed combined power of -6.00
Aspheric Photo Gray	Coral AR +	65 70	PL to +4.00 / -6.00; cyl to -2.00 - on - not to exceed combined power of -6.00
Photochromic Gray G4	Scratch Resistant	65 70	PL to +4.00 / -6.00; cyl to -2.00
Photochromic Gray G4	Anti-Reflective	65 70	PL to +4.00 / -6.00; cyl to -2.00
Activations Gray	Scratch Resistant	65 70	PL to +4.00 / -6.00; cyl to -2.00, Max Power of -6.00
Activations Gray	Coral AR	65 70	PL to +4.00 / -6.00; cyl to -2.00 - on - not to exceed combined power of -6.00
Transitions Signature VII Gray	Super Hydrophobic Anti-Reflective	65 70	PL to +4.00 / -6.00; cyl to -2.00, Max Power of -6.00

FINISHED MID & HIGH INDEX

SHORE LENS COMPANY

MATERIAL	TYPE	COATING	DIA	RANGE
1.56	Clear	Scratch Resistant	65 73	Plano to -6.00; cyl to -4.00, +0.25 to +2.00 / -6.25 to -8.00; cyl to -2.00
1.56	Aspheric Clear	Scratch Resistant	65	+2.25 to +6.00; cyl to -2.00
1.56	Clear	Anti-Reflective	65 73	+0.25 to +2.00; cyl to -2.00
1.56	Aspheric Clear	Anti-Reflective	65	+2.25 to +6.00; cyl to -2.00
1.60	Clear	Scratch Resistant	68 70	Plano to -5.00; cyl to -4.00, -5.25 to -8.00; cyl to -3.00, +0.25 to +2.00 / -8.25 to -10.00; cyl to -2.00
1.60	Aspheric Clear	Scratch Resistant	68 70	+2.25 to +6.00; cyl to -2.00
1.60	Clear	Anti-Reflective	68 70	Plano to -5.00; cyl to -4.00, -5.25 to -8.00; cyl to -3.00, +0.25 to +2.00 / -8.25 to -10.00; cyl to -2.00
1.60	Aspheric Clear	Anti-Reflective	68 70	+2.25 to +6.00; cyl to -2.00
1.67	1.0 Aspheric Clear	Scratch Resistant	68 70	Plano to -8.00; cyl to -4.00, +0.25 to +6.00 / -12.00; cyl to -2.00, -12.50 sph to -15.00 sph in 0.25 steps
1.67	1.0 Aspheric Clear	Anti-Reflective	68 70	Plano to -8.00; cyl to -4.00, +0.25 to +6.00 / -12.00; cyl to -2.00, -12.50 sph to -15.00 sph in 0.25 steps
1.67	UV420 Blue Shield AR+	Super Hydrophobic Anti-Reflective	65 70 75	Plano to +4.00 / -10.00; cyl to -2.00
1.67	Photochromic Gray	Scratch Resistant	70 75	-2.00 to -8.00; cyl to -2.00
1.67	Photochromic Gray	Coral AR +	70 75	-2.00 to -8.00; cyl to -2.00
1.67	Transitions Signature VII Gray	Coral+	70 75 80	-2.00 to -8.00; cyl to -2.00
1.74	Clear	Anti-Reflective	70 75 80	-2.00 to -10.00; cyl to -4.00, -10.25 to -12.00; cyl to -2.00, -12.25 to -13.00 spheres in 0.25 steps, -13.50 to -15.00 spheres in 0.50 steps
1.74	Clear	Super Hydrophobic Anti-Reflective	70 75 80	-2.00 to -10.00; cyl to -4.00, -10.25 to -12.00; cyl to -2.00, -12.25 to -13.00 spheres in 0.25 steps, -13.50 to -15.00 spheres in 0.50 steps

FINISHED TRIVEX

SHORE LENS COMPANY

TYPE	COATING	DIA	RANGE
Clear	Scratch Resistant	65 70	PL to +6.00 / -8.00; cyl to -2.00
Clear	Anti-Reflective	65 70	PL to +6.00 / -8.00; cyl to -2.00

FINISHED MULTI-FOCALS

SHORE LENS COMPANY

MATERIAL	TYPE	COATING	DIA	RANGE
CR-39	Flat Top 28 Clear	Uncoated	70	Plano to +3.00 / -2.00 w/ adds +1.00 to +3.00 in plus and +2.00 in minus in +.25 steps
CR-39	Flat Top 28 Clear	Uncoated - Extended	70	-.25 to -4.00 w/adds +2.25 to +3.00
Poly	Flat Top 28 Clear	Scratch Resistant	70	Plano to +3.00 w/ adds +1.00 to +3.00 in +.25 steps
CR-39	Progressive Clear	Uncoated	75	Plano to +3.00 / -2.00 w/ adds +1.00 to +3.50 in +.25 steps
Poly	Progressive Clear	Scratch Resistant	75	Plano to +2.00 / -1.00 w/ adds +1.00 to +3.00 in +.25 steps
1.56	Progressive Gray Photochromic	Scratch Resistant	75	Plano to +3.00 / -2.00 w/ adds +1.00 to +3.50 in +.25 steps

SEMI-FINISHED SINGLE VISION

SHORE LENS COMPANY

MATERIAL	TYPE	COATING	DIA	RANGE
CR-39	Clear	Uncoated	70	BASES: 1.00, 2.50, 4.50, 6.25, 7.25, 8.75, 10.50
CR-39	Clear	Scratch Resistant	70	BASES: 1.00, 2.50, 4.50, 6.25, 7.25, 8.75, 10.50
CR-39	Clear	Uncoated	76	BASES: 1.00, 2.50, 4.50, 6.25, 7.25, 8.75, 10.50
CR-39	Clear	Scratch Resistant	76	BASES: 1.00, 2.50, 4.50, 6.25, 7.25, 8.75, 10.50
CR-39	Photochromic Gray	Scratch Resistant	72	BASES: 0.50, 2.25, 4.25, 5.25, 6.25, 8.25
CR-39	Activations Gray	Scratch Resistant	76	BASES: 2.00, 3.50, 4.25, 5.25, 6.25, 7.25, 8.75, 10.50
CR-39	Activations Brown	Scratch Resistant	76	BASES: 0.50, 2.25, 4.25, 5.25, 6.25, 8.25
Poly	Clear	Scratch Resistant	70	BASES: 0.75, 1.50, 2.25, 3.25, 4.25, 5.50, 6.50, 7.50, 8.50, 9.75
Poly	Aspheric Clear	Scratch Resistant	70	BASES: 0.50, 2.00, 4.00, 6.00, 8.00
Poly	Clear	Scratch Resistant	76	BASES: 1.50, 3.25, 4.25, 5.50, 7.50
Poly	Blue Shield AR+	Frontside Super Hydrophobic Anti-Reflective	75	BASES: 0.50, 2.00, 4.00, 6.00, 8.00
Poly	Photochromic Gray	Scratch Resistant	74	BASES: 1.50, 2.25, 3.25, 4.25, 5.50, 6.50, 7.50, 8.50
Poly	Photochromic Gray S6	Scratch Resistant	70	BASES: 0.50, 2.00, 4.00, 6.00, 8.00
Poly	Activations Gray & Brown	Scratch Resistant	79	BASES: 1.50, 3.25, 4.25, 4.75, 5.50, 7.00, 7.50, 8.50
Trivex	Clear	Scratch Resistant	70	BASES: 0.50, 1.00, 2.00, 3.00, 4.00, 5.00, 6.00, 8.00
Trivex	Clear	Scratch Resistant	79	BASES: 0.50, 2.50, 3.50, 4.50, 5.50, 6.50, 7.50, 8.50

SEMI-FINISHED SINGLE VISION

SHORE LENS COMPANY

MATERIAL	TYPE	COATING	DIA	RANGE
1.60	Clear	Scratch Resistant	70 75	BASES: 0.50 ,2.00 ,4.00, 6.00, 7.00, 9.00, 10.25
1.67	Clear	Uncoated	70 75	BASES: 0.50, 1.00, 2.00, 3.00, 4.00, 5.00, 6.00, 7.00, 8.00, 9.00, 10.00, 11.00, 13.00
1.67	Clear	Scratch Coated	70 75	BASES: 0.50, 1.00, 2.00, 3.00, 4.00, 5.00, 6.00, 7.00, 8.00, 9.00, 10.00, 11.00, 13.00
1.67	Aspheric Clear	Scratch Coated	70	BASES: 0.50,1.00, 2.00, 3.00, 4.00, 5.00, 6.00, 7.00, 8.00, 9.50
1.67	UV420 Blue Shield	Frontside Anti-Reflective	65 70 75	BASES: 0.50, 1.00, 2.00, 3.00, 4.00, 5.00, 6.00, 7.00, 8.00, 9.00, 10.00, 11.00, 13.00
1.67	Photochromic Gray	Scratch Resistant	70 75	BASES: 0.50,1.00, 2.00, 3.00, 4.00, 5.00, 6.00, 7.00, 8.00, 9.00
1.74	Clear	Uncoated	70	BASES: 0.50, 1.50, 2.25, 3.50, 5.00, 6.75, 8.50, 10.25, 11.50, 12.50
1.74	Aspheric Clear	Uncoated	70	BASES: 0.50, 1.00, 2.00, 3.00, 4.00, 5.00, 6.00, 7.00, 8.00, 9.00, 10.00
1.74	Clear	Scratch Coated	70	BASES: 0.50, 1.50, 2.25, 3.50, 5.00, 6.75, 8.50, 10.25, 11.50, 12.50
1.74	Aspheric Clear	Scratch Coated	70	BASES: 0.50, 1.00, 2.00, 3.00, 4.00, 5.00, 6.00, 7.00, 8.00, 9.00, 10.00

SEMI-FINISHED MULTI-FOCALS

SHORE LENS COMPANY

MATERIAL	TYPE	COATING	DIA	RANGE
Flat Top 28				
CR-39	Clear	Uncoated	70	BASES: 1.00, 2.50, 4.50, 6.25, 7.25, 8.75, 10.50 ADDS: +1.00 to +3.50 in .25 steps and +4.00
CR-39	Clear	Scratch Resistant	70	BASES: 1.00, 2.50, 4.50, 6.25, 7.25, 8.75, 10.50 ADDS: +1.00 to +3.50 in .25 steps and +4.00
CR-39	Activations Gray & Brown	Scratch Resistant	76	BASES: 0.50, 2.25, 4.25, 5.25, 6.25, 8.25 ADDS: +1.00 to +3.00 in .25 steps
Poly	Clear	Scratch Resistant	70	BASES: 2.25, 4.25, 5.50, 6.50, 8.50 ADDS: +1.00 to +3.00 in .25 steps
Trivex	Clear	Scratch Resistant	72	BASES: 4.00, 6.00, 8.00 ADDS: +1.00 to +3.00 in .25 steps
Flat Top 35				
CR-39	Clear	Uncoated	70	BASES: 1.00, 2.50, 4.50, 6.25, 7.25, 8.75 ADDS: +.75 to +3.50 in .25 steps and +4.00
Flat Top 7X28				
CR-39	Clear	Uncoated	70	BASES: 4.50, 6.25, 7.25, 8.75 ADDS: +1.50 to +3.00 in .25 steps

SHORE SUN COLLECTION

SHORE LENS COMPANY

MATERIAL	TYPE	COATING	DIA	RANGE
Finished Single Vision				
CR-39	Polarized Gradient 6 Base Gray	Back Side Anti-Reflective	74	Plano
CR-39	Polarized Gradient 8 Base Gray	Back Side Anti-Reflective	74	Plano
CR-39	Polarized 6 Base Gray	Uncoated	74	Plano
CR-39	Polarized 6 Base Brown	Uncoated	74	Plano
CR-39	Polarized 8 Base Gray	Uncoated	74	Plano
CR-39	Polarized 8 Base Brown	Uncoated	74	Plano
CR-39	Tinted 6 Base Gray Solid	Uncoated	74	Plano
CR-39	Tinted 6 Base Brown Solid	Uncoated	74	Plano
CR-39	Tinted 6 Base Gray Solid 85%	Uncoated	74	Plano
CR-39	Tinted 6 Base Gray Gradient 85%	Scratch Resistant	74	Plano
CR-39	Tinted 6 Base Green Gradient 85%	Scratch Resistant	74	Plano
CR-39	Tinted Gray 85%	Front Side Scratch Resistant Back Side Anti-Reflective	75	Pl to + 4.00 / -4.00 ; cyl to -2.00

SHORE SUN COLLECTION

SHORE LENS COMPANY

MATERIAL	TYPE	COATING	DIA	RANGE
----------	------	---------	-----	-------

Semi-Finished Single Vision

CR-39	Polarized Gray	Scratch Resistant	70 75	BASES: 0.50, 2.00, 3.50, 4.25, 5.25, 6.25, 7.25, 8.25
CR-39	Polarized Brown	Scratch Resistant	70 75	BASES: 0.50, 2.00, 3.50, 4.25, 5.25, 6.25, 7.25, 8.25
CR-39	Polarized Green	Scratch Resistant	70 75	BASES: 0.50, 2.00, 3.50, 4.25, 5.25, 6.25, 7.25, 8.25
CR-39	Polarized Gray Gradient	Scratch Resistant	70 75	BASES: 0.50, 2.00, 3.50, 4.25, 5.25, 6.25, 7.25, 8.25
CR-39	Polarized Brown Gradient	Scratch Resistant	70 75	BASES: 0.50, 2.00, 3.50, 4.25, 5.25, 6.25, 7.25, 8.25
CR-39	Polarized Green Gradient	Scratch Resistant	70 75	BASES: 0.50, 2.00, 3.50, 4.25, 5.25, 6.25, 7.25, 8.25
CR-39	Tinted Gray	Front Side Scratch Resistant	75	BASES: 0.50, 2.00, 4.25, 5.25, 6.25, 8.25, 10.25
CR-39	Tinted Brown	Front Side Scratch Resistant	75	BASES: 0.50, 2.00, 4.25, 5.25, 6.25, 8.25, 10.25
CR-39	Tinted Green	Front Side Scratch Resistant	75	BASES: 0.50, 2.00, 4.25, 5.25, 6.25, 8.25, 10.25
CR-39	Tinted Gray Gradient	Front Side Scratch Resistant	75	BASES: 0.50, 2.00, 4.25, 5.25, 6.25, 8.25, 10.25
CR-39	Tinted Brown Gradient	Front Side Scratch Resistant	75	BASES: 0.50, 2.00, 4.25, 5.25, 6.25, 8.25, 10.25
CR-39	Tinted Green Gradient	Front Side Scratch Resistant	75	BASES: 0.50, 2.00, 4.25, 5.25, 6.25, 8.25, 10.25
Poly	Polarized Gray	Scratch Resistant	76	BASES: 2.25, 3.25, 4.25, 5.25, 6.25, 7.25, 8.25, 9.25
1.67	Polarized Gray	Scratch Coated	76	BASES: 1.50, 2.00, 3.00, 4.00, 5.00, 6.00, 7.00, 8.00

Semi-Finished Flat Top 28

CR-39	Polarized Gray	Scratch Resistant	77	BASES: 2.00, 4.00, 6.00, 8.00 ADDS: +1.00 to +3.50 in .25 steps
Poly	Polarized Gray	Scratch Resistant	76	BASES: 2.00, 4.25, 6.25, 8.00 ADDS: +1.00D to +3.00 in .25 steps

SHORE SUN COLLECTION

SHORE LENS COMPANY

MATERIAL	TYPE	COATING	DIA	RANGE
----------	------	---------	-----	-------

Shoreview Progressive

CR-39	Polarized Gray	Scratch Coated	75 80	BASES: 2.00, 4.00, 6.00, 8.00 ADDS: +1.00 to +3.50 in .25 steps
Poly	ES Polarized Gray	Scratch Coated	75 80	BASES: 2.00, 4.00, 5.50, 7.25 ADDS: +0.75 to +3.50 in .25 steps

Shoreview Progressive Mini

CR-39	Polarized Gray	Scratch Coated	75 80	BASES: 2.00, 4.00, 6.00, 8.00 ADDS: +1.00 to +3.50 in .25 steps
Poly	ES Polarized Gray	Scratch Coated	76	BASES: 1.75, 3.00, 4.50, 5.50, 6.50 ADDS: +0.75 to +3.00 in .25 steps